



**NATIONAL INSTITUTE OF PHARMACEUTICAL EDUCATION AND  
RESEARCH (NIPER)**  
Sector 67, S.A.S. Nagar (Mohali)  
Telephone No. 2214682-87, Fax No. 0172-2214692

No. NIQ104/2021/IND18155/

Dated: 11.06.2021

**NOTICE INVITING QUOTATION**

We are interested in the purchase of the articles mentioned below, please send your quotation addressed to Director, NIPER, clearly specify in outer cover “**quotation for Providing and Fixing of Toughness Glass Partition and NIQ104/2021/IND18155 date of opening 07.07.2021**”. The quotation must be accompanied by a forwarding on letter pad of your company mentioning (I) Name of the material, (II) reference of this letter and (III) date of opening of Quotation. Your quotation should be deposited in Tender Box located at Ist Floor Administrative Bhawan, of NIPER on or before **07.07.2021** upto 3.00 p.m. to be opened on **07.07.2021** at 3:30 p.m. in the Conference Room on the first floor of Administrative Bhawan of NIPER in the presence of tenderers, whosoever may wish to be present.

<b>Sr.No.</b>	<b>Description of Materials</b>	<b>Qty</b>
<b>1</b>	<b>Providing and Fixing of Toughness Glass partition in Heritage Centre at NIPER SAS Nagar</b>	<b>As per BOQ</b>

**Yours faithfully**

**AAR (S &P)**

**Providing and Fixing of Toughened Glass Partition in Heritage Centre at NIPER,  
S.A.S Nagar.**

**General Terms and Conditions**  
**Indent No. 18155 dated 08 Dec 2020.**

1. The rates shall be quoted in the enclosed Schedule of Quantities and it should be signed by the Contractor.
2. A declaration in lieu of submitting EMD shall invariably be submitted by the Agency as per attached format.
3. The rates shall be quoted in the enclosed Schedule of Quantities and it should be signed by the Contractor.
4. The Agencies registered MSME, GOI, New Delhi shall be exempted for submission of EMD.
5. The rates shall be quoted in the enclosed Schedule of Quantities and it should be signed by the Contractor
6. **Defect Liability Period** shall be 01 year from the date of completion of work. EMD shall be released after completion of defect liability period.
7. Rates to be inclusive of all taxes, GST, duties, royalty and labour cess etc.
8. The offer will remain valid for 90 days from the last date of submission of quote.
9. The period for execution of work is **02 months** from the date of issuing of Work Order/LOI.
10. Any clarification required to be sought may be obtained from Engineering Section, NIPER before due date of submission of quotation.
11. No escalation in rates shall be allowed under any circumstances during the execution of work and extension of time, if any.
12. The contractor shall comply with all the statutory requirements in respect of said work.
13. The contractor shall be deemed to have visited the site and made themselves familiar with the working conditions before submitting the quote irrespective of the fact whether they inspect the site or not.
14. Electricity if available will be provided at one point and will be charged as per actual consumption. However the contractor is required to make his own arrangement by installation of generator at his own cost to cope up any eventuality in the interest of progress of work.
15. The quantity in BOQ are tentative and there may be variation which may increase/decrease.
16. The work shall be executed as per CPWD norms. Specifications of works other than specified in Schedule of Quantities will conform to CPWD specifications/ latest Indian Standard Specifications.
17. All precautions as per CPWD safety code for the safety of workers and necessary health and sanitary arrangements for them will be taken by the Agency.

18. Material required for testing will be provided by the contractor at his own expenses. The tests considered necessary by the Engineer-in-Charge shall be got carried out by the contractor at his own expenses in recognized testing laboratory in the presence of Engineer-in-Charge or his authorized representative.
19. The contractor shall at his own cost and expense provide all materials required for the work. It is responsibility of contractor that the required material, when brought to site, shall be got entered/recorded by the Contractor at Main Security Gate, NIPER, S.A.S Nagar.
20. The samples of material to be used shall be deposited by the contractor with the Engineer-in-Charge before commencement of work. .
21. Measurement of work done should be as per units specified in Schedule of Quantities. Measurements of any other item not indicated in Schedule of Quantities but required to be executed will be as per CPWD specifications.
22. In case the contractor fails to complete the work within the stipulated/extended time period, the penalty @ 0.5% per week of the cost of the total work subject to maximum 5% of the work order value will be levied on the Agency.
23. Payment will be released on the basis of RA bill/Final Bill to be put up by the Agency on the basis of actual work done subject to the condition that only one bill will be paid in a month, final bill will be cleared within three months of its submission subject to fulfillment of requisite criteria concerning execution of this work as per terms of Work Order.
24. List of approved Makes is attached.
25. The rate for all items of work, shall unless clearly specified otherwise include cost of all labour, materials and inputs involved in the execution of the item.
26. In case of any loss or damage to the property of the institute which is attributable to the firm, the full damages will be recovered from the firm.
27. In case of any mis-happening/ loss of life, the Agency has to bear all the claim and responsibility etc and the NIPER will not be responsible for any kind of payment to workers or contractor under these circumstances.
28. In case of Dispute/Arbitration between the Agency and NIPER, S.A.S Nagar related to said contract, the matter shall be referred to the Sole Arbitrator appointed by NIPER, SAS Nagar. Under such circumstances, the decision of the Sole Arbitrator shall be final and binding in any respect of any dispute between the parties.
29. The decision of the Director, NIPER, S.A.S. Nagar shall be the final and binding on the contractor/ agency in respect of any clause not covered under the contract and any matter incidental to the contract.
30. The Director, NIPER reserve the right to cancel the awarded work with immediate effect without assigning reasons.

Performa for Earnest Money Deposit Declaration

Whereas, I/We \_\_\_\_\_ (Name of Agency)\_\_\_\_\_ have submitted bids for \_\_\_\_\_ (Name of work).

I/ We hereby submit following declaration in lieu of submitting Earnest Money Deposit.

(a) If after opening of tender, I/ We withdraw or modify my/our bid during the period of validity of tender (including extended validity of tender) specified in the tender documents.

or

(b) I, after the award of work, I/We fail to sign the contract, or to submit performance guarantee before the deadline defined in the tender documents.

I/ We shall be suspended for one year and shall not be eligible to bid for NIPER, S.A.S. Nagar tenders from date of issue of suspension order.

Signature of the contractor (s)

## List of Approved Makes

S. No.	Material	Makes
1. (i)	Gray Cement (OPC)	ACC, L & T, Gujrat Ambuja, Vikram, Birla, JK Cement, (conforming to relevant BIS Code)
(ii)	White Cement	Birla White/ J.K.White
2.	Standard Steel/ reinforcement steel	SAIL, TISCO, RINL, IISCO
3.	Veneered particle board	Archidply, Century, Bhutan board, Greenply, Kitlom
4.	Laminated Particle board	Archidply, Century, Bhutan board, Greenply, Kitlom
5.	Flush Door shutters	Archidply, Century ply, Novapan or equivalent
6.	Water Proofing Compound	Fosrac, Cico, Pidilite, Impemo
7.	M.S. Pipe	Tata, Jindal (Hissar), Parkash, Surya, Steel Tubes or equivalent.
8.	PVC Pipe & Fittings	Supreme, AKG, Finolex, Prince Diplast
9.	Acyrlc Distemper	Nerolac, , asian ,Berger
10.	Distemper	Nerolac, , asian ,Berger
11.	Synthetic Enamel Paint	ICI, Nerolac, Berger, Asian Paints
12.	Steel Primer	ICI, Nerolac, Berger, Asian Paints
13.	Wood Primer	ICI, Nerolac, Berger, Asian Paints
14.	Mosaic tiles	NITCO, Modern, NTC, GICO
15.	Ceramic/glazed tiles	Kajaria, NITCO, Somany, Johnson or equivalent
16.	Dash/ Fasteners	HILTI, Fischer, Bosch
17.	Nuts/ Bolts & Screws	GKW, Atul
18.	SS sink (out of Salem steel only)	DIAMOND, JAYNA, NEELKANTH
19.	Float valve	IVC, Leader, Prayag
20.	Admixtures	Fosorc, Sika, or equivalent
21.	Virteous China Sanitary ware	Parryware, Hindustan Sanitary ware, Cera,
22.	Plastic seat cover of W.C.	Commander, Diplomat, Hindware, Parryware
23.	PVC Flushing cistern	Commander, Diplomat, Hindware (Slim line)
24.	CP fittings/Mixer Pillar taps washers	JAGUAR, EXCEL, NOVA or equivalent
25.	CP accessories	JAGUAR, ESSCO, EXCEL, NOVA or equivalent
26.	Centrifugally cast spun iron pipes & fittings	NECO, HEPCO (BINAY UDYOG)
27.	Centrifugally cast spun iron pipes & fittings (class LA)	Electro steel, Kesoram
28.	G.I.Pipes	Jindal (Hissar), TATA, Prakash Surya
29.	G.I. fittings	Unik, AMCO, AVR, NVR
30.	Gun metal valves	Leader, Zoloto, Sant, DRP
31.	Brass stop & Bib cock	Zoloto, Sant, L & K, Leader
32.	Stoneware pipes & gully trap	Prefect, Hind or ISI marked S.W. pipes
33.	Mirror glass/ Float glass/ Toughened glass	Atul, Modi Guard, Saint Gobain

34.	Glazed fire clay kitchen sink	Pamini, Sanfire
35.	Vitrified tiles	, Kajaria, NITCO, Asian, johnson, Orient
36.	Grouting compound	Endura, Pidilite, Fosroc or equivalent
37.	Clear glass/ Clear Float Glass	Modi, Tata, Saint Gobain
38.	Locks	Godrej, Harison, Dorma or equivalent
39.	Commercial board, ply, teak ply, commercial ply	Century, Greenply, Archidply
40.	Butterfly valve	IVC, Kirloskar
41.	RCC pipes	Jain, JK
42.	CI manhole covers and CI gratings	NECO, RIF or equivalent
43.	Doors and Windows fixtures/fittings	Everite, Hardima, Crown/ Classic or equivalent.
44.	Door closer/ floor springs	Everite, Hardwyn, GODrej, Universe, Dorma
45.	Door locks	Godrej, Harrison, Dorma or equivalent
46.	Door Seal- wool pile weather strip	Anand, Raddiplex
47.	Clean room doors and window	Shakti Met Door/AJNI/GMP
48.	6mm thick classic dark blue heat reflective glass	Glaverbel, Glavemas, Saint Globain
49.	PVC continuous fillet for periphery palling of glazing/ structural glassing	Roop, Anand, Forex plastic
50.	Metal fire check doors	Navair, Shakti-met, Godrej, Pacific Fire Control, GMP
51.	Pressed steel doors	West Wind concepts Pvt. Ltd., Gurgaon, Shiva Steel Pvt. Ltd, NOIDA, AGEW or equivalent.
52.	Aluminium sections	Hindalco, Jindal, Indalco, Kunal or equivalent
53.	Aluminium cleat arrangement for glazing	Deco or approved equivalent
54.	Poly carbonate sheets	GE plastic or approved equivalent
55.	Aluminium grill	Decogrille and equivalent
56.	Aluminium cladding sheets	Alpolic, Alpolic/fr, Alucoband
57.	Aluminium die- cast handles and two point locking kit	Giesse, Securistyle, Alu-alpha
58.	Stainless steel D – Handles	D-line, Dorma
59.	Aluminium false ceilings	MK Precision Metal Works, Mumbai, Armstrong, Supersil
60.	Gypsuma board system	India gypsum. Laffarge
61.	Ready mix concrete	L&T. ACC, COROMANDAL
62.	Sunken portion treatment	Choksey, Roffe, Krytone, Sika, Fosroc
63.	Oil bound distemper	Asian (Tractor), Berger (Bison), Nerolac (Super Acrylic)
64.	Plastic emulsion paint	ICI, Asian, Nerolac, Berger
65.	Epoxy paint	Nerolac, Shalimar or approved equivalent

66.	Other paints/ primers	ICI Dulux, Asian, Berger, Nerolac
67.	Powder coating material pure seal polyester	Jotun, Berger, Goodlass Nerolac
68.	Polysulphide sealant	Pidilte, Fosrac, Choksey, Chematal Rai
69.	Antistatic epoxy flooring	Fosrock, Beck, LG
70.	Epoxy flooring	SIKKA or FOSRAC or Beck India
71.	Stainless steel screws for fabrication and fixing of windows	Kundan, Puja, Atul
72.	Stainless steel bolts, washer & nuts	Kundan, Puja, Atul
73.	Stainless steel pressure	Kundan, Puja, Atul
74.	Stainless steel friction stay	Securistyle, Earl Bihari
75.	Stainless steel pipes/ flats (304) grade	Jindal or equivalent.
76.	Weather silicon	Dow corning, Wacker, GE
77.	Structural silicon at bolt joints	Dow corning, Wacker, GE
78.	Silicon treatment	GE-Silicon, Pidilte, Choksey, Wacker, Forsac
79.	Proposed treatment on MS brackets	Galvanised brackets as per IS:4759-1996 610 gms/sqm (microns) 80-90
80.	E.P.D.M. gaskets	Anand Reddoplex, Enviro seals
81.	Masking tapes	Suncontrol, Wonder polymer
82.	Back up rod	Supreme industries or equivalent
83.	Hollock wood variety	1 <sup>st</sup> class hillock of selected
84.	Auditorium chairs	Penworker, Suri Cine chairs, Godrej
85.	Woolen fabric for auditorium	ESSMA, Raymonds
86.	Carpets	Hollitex, standard, Mohawk
87.	Expansion joint treatment	SJ & Associates (or equivalent)
88.	Sunmica	Forica/ Derolam/ Kitmic/ Marind
89.	Ply/ Commercial Board	Century/ Kit Ply/ Green lam/ National/ Anchor

Note:-

1. The contractor shall produce samples before procurement of the material for approval of the client or all material required for works. The material of the makes out of the above as approved by the owner shall be used on the work. The decision of the client from the above makes shall be final.
2. In respect of material for which approved makes are not specified as above. The same shall be decided by the client and shall be as per BIS codes.
3. The contractor shall submit samples of all materials 2 weeks before the date of incorporation of the same in work.
4. All makes specified above should invariably conform to relevant BIS codes.

**MANDATE FORM FOR PAYMENT**

Sr.No.	Supplier Details	
1	Vendor Name	
2	Father/ Husband Name	
3	DOB	
4	PAN Number	
5	Aadhaar Number	
6	TIN Number	
7	Service Tax No.	
9	Address I	
10	City	
11	Country	
12	State	
13	District	
14	Pin code	
15	Mobile No.	
16	Phone	
17	Email	
18	Bank Name	
19	IFSC Code	
20	Account Number	
21	Others	

bII

**Bidder(s)/Authorized Signatory (ies)**



## FINANCIAL BID

### BOQ for P&F of Toughendness Glass Partition in Heritage Centre at NIPER, S.A.S Nagar

S. No.	Items	Qty	Unit	Amount in figures (Rs.)	Rate in words (Rs.)
1	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.				
	With stainless steel cover plate minimum 1.25 mm thickness	1	Each		
2	Providing and fixing aluminium tubular handle bar 32 mm outer dia, 3.0 mm thick & 2100 mm long with SS screws etc .complete as per direction of Engineer-in-Charge.				
	Anodized (AC 15 ) aluminium tubular handle bar	2	Each		
3	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	1	Each		
4	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-incharge (Door handle, lock and stopper etc.to be paid separately).	19	Sqm		
5	Extra for providing film for toughened glass	2	Sqm		
	<b>Total in figures</b>				
	<b>Total in words</b>				

